

## **}faceAXS**∛

FACEAXS PRO is a full featured multibiometric device leveraging the advantages of fingerprint biometrics and facial recognition technologies plus RFID, all in the same terminal.

FACEAXS PRO is the time and attendance and access control biometric device more robust of the FACEAXS family since it comes with an exhaustive set of features for simplifying installation, operation and use

FACEAXS PRO is the ideal solution to verify identity without compromising performance and reliability. Features such as dual biometric technology, users a records capacity, tolerance to illuminance, aesthetic and practical design, different communication options and friendly user interface make FACEAXS PRO the best solution for small to big size companies.

## MAIN FEATURES

- Advanced biometrics algorithm for superior performance: FAR < 0.001%, FRR < 1%
- High capacity:
  - ▶ Face: 2000
  - ▶ Fingerprint: 2,000
  - ►Cards (EM): 10,000
  - •Records: 200,000



- Illuminating level: 20,000 lux
- Speed: < 1 segundo
- Verification methods: face, face + fingerprint, face or fingerprint, fingerprint, card + face, card or face, card, ID + password.
- Communications: TCP/IP, USB Host, Wiegand input and output, WiFi
- Built-in relay\*



## TECHNOLOGY

Multibiometric device combining biometric fingerprint and face recognition technologies, More proximity technology, in the same terminal.




## SPECIFICATIONS

| PROCESSOR             | High speed digital processor 1 Ghz  |
|-----------------------|---|
| USER CAPACITY         | 2000 Face Users / 2000 Fingerprint users  |
| RECORD CAPACITY       | 200,000 Records   |
| ILLUMINATING          | 20,000 Lux  |
| VERIFICATION METHOD   | Face, Face + Fingerprint, Face or Fingerprint, Fingerprint,<br>Card + Face, Card or Face, Card, ID + Password |
| PERFORMANCE           | FAR < 0.001%, FRR < 1%  |
| VERIFICATION SPEED    | Less than 1 Second  |
| SENSOR                | Specialized dual sensor   |
| KEYBOARD              | 4*4 Touch Keypad  |
| RFID                  | 125 kHz EM  |
| SCREEN                | TFT 3.5 inch Color  |
| COMMUNICATION METHOD  | Standard TCP/IP, USB Host, Wiegand output/input, Wifi   |
| RELAY                 | Yes   |
| POWER                 | 12 V DC (adaptor included)  |
| OPERATING DISTANCE    | 30 – 80 cm  |
| OPERATING TEMPERATURE | 0 – 40°C  |
| OPERATING HUMIDITY    | 20 - 80 %   |
| CERTIFICATION         | CE, FCC Class A, RoHS   |
|                       |   |



EasyWay Biometrics is the new brand of innovative fingerprint solutions for Time & Attendance and Access Control needs. Every EasyWay terminal has been designed with international quality standards, combining fashionable design with outstanding performance

EasyWay uses the latest technology to create products that provide a functional solution for customers who need low cost T&A and Access Control solutions.





SYSTEM MULTIBIOMETRIC

INFORMATION SUBJECT TO CHANGE WITHOUT NOTICE | 170808



